

ZÜRICH

model



Series Zürich - safes with ECB•S certificate
for storage of valuables.



Lock **class B**;

Boltwork handle: handle with escutcheon (protruding 79 mm);

VESTA HANDLE

Outside hinges (protruding 43,5 mm) **with special hinge plugs**

*lower hinge - only upper plug

Door opening angle: 180°

model ZÜRICH

Multi-walled body **78 mm** thick

Multi-walled door construction **137 mm** thick

ECB•S certificate



NEW BOLTWORK AND LOCKING BOLTS

Locking: **4-way locking bolt system** - including **overlapping profile** on the hinge side.

Dual security mechanism: additional **glass plate**, which triggers the locking protection in case of burglary.

Bolt chambers (locking with bolts at the top, in the bottom and in front part of the door)

Each model prepared for alarm system

Mounting holes: 1 in the floor, 1 blind hole in the rear wall up to 1/3 height (anchoring material for 1 hole attached)

SECURITY LEVEL

Class V

according to norm
EN 1143-1



FIRE PROTECTION

LFS 30

acc. to EN 15659:2019 (E)
norm



model ZÜRICH

Fire resistance, defined by the **LFS 30** class, provides the stored property with short-term 30-minute protection against fire.

The certification label permanently affixed to the safe is a guarantee of a properly conducted test at specialized certified units in this regard.

Foam seal

Fire seal




Set up your own
safe in **4** steps







model
ZÜRICH

- 1** Choose the size
- 2** Choose the colour
- 3** Set up your own equipment
- 4** Choose the lock and fitting





Basic sizes

Art. No.	Outer dimensions*			Anchoring		Weight	Shelves	Files	Volume
									
	Height mm	Width mm	Depth mm	Bottom number	Backwall number	Kg	Number	Number	Liters
42700.00	706	576	525	1	1 **	415	1	7	69
42701.00	712	672	525	1	1 **	466	1	8	86
42702.00	812	672	525	1	1 **	520	1	10	101
42703.00	912	672	525	1	1 **	574	1	12	117
42704.00	1012	672	525	1	1 **	628	2	14	132
42705.00	1212	672	525	1	1 **	735	2	18	163
42706.00	1512	842	565	1	1 **	1093	3	35	316
42707.00	1812	842	565	1	1 **	1285	4	42	386
42708.00	806	736	565	1	1 **	580	1	11	128
42709.00	1256	736	565	1	1 **	846	2	21	216
42710.00	1506	736	565	1	1 **	994	3	25	265
42711.00	1956	736	565	1	1 **	1260	4	35	354
42715.00	1012	872	715	1	1 **	923	2	22	299
42716.00	1262	872	715	1	1 **	1108	2	27	387
42717.00	1512	872	715	1	1 **	1294	3	35	474
42718.00	1812	872	715	1	1 **	1516	4	42	579



* In order to maintain the certificate, both the dimensions of the safe, the type of lock and the number and position of the openings in the safe - must comply with the guidelines of the certification institute.

STANDARD RAL 7024



STANDARD RAL 7035



STANDARD RAL 9006



RAL 9005

AGAINST SURCHARGE



RAL 9010

AGAINST SURCHARGE



RAL 3020

AGAINST SURCHARGE




COLOURS AVAILABLE FOR THE INTERIOR LINING



GREEN



BEIGE



RED



BLACK



GREY



* other colours from the basic RAL palette also available

3

Select ZÜRICH safe equipment by destination



Shelves on telescopic rails,
height-adjustable



Frames for files on telescopic rails



Drawers in any amount and of individual height



Inner safes - can be fitted with electronic,
mechanical combination or bank locks



Inner safe,
single door



Inner safe with partition
wall, double door



Frames for files on telescopic
rails



Shelf on telescopic rails



Movable shelf



Shelf for files




Telescopic drawer with
adjustable dividers



Alarm system components /
alarm system

**EMA
READY**
• • •

Preparation for alarm
system



Alarm system (EMA) *


- complete set (also available in single positions).

When installing the alarm system or single components, the safe is equipped with the bottom cover, which diminishes the safe space inside by 30 mm.

* due to the inner dimensions of the safes, the full alarm installation is available from model 42702.00. In models 42700.00 - 42701.00 - the alarm elements are on request.

Preparation for alarm system

Zürich series has standard holes that enable the installation of alarm system components.



Alarm system (EMA)

- complete set (also available in single positions).

When installing the alarm system or single components, the safe is equipped with the bottom cover, which diminishes the safe space inside by 30 mm.

* due to the inner dimensions of the safes, the full alarm installation is available from model 42702.00. In models 42700.00 - 42701.00 - the alarm elements are on request.

The alarm system is an equipment used to receive a signal from alarm detectors, their processing, control and initiation of further transmission which aims to protect people and rooms.

Depending on the components installed the alarm system is designed to:

- reducing the probability of theft, burglary, etc.
- sending alarm signals (to the police or security agencies)
- immediate notification people around one about attempt burglary
- help in the story reconstruction when trying to steal the safe


4

Choose
the lock*

The locks and fittings below do not constitute a complete range, they are only our suggestion.

If none of the presented meets your expectations - please contact us and we will help you choose the right product.

** available options of changing the lock




Possible lock configurations



Mechanical combination lock

Key lock



Stellar Basic - electronic lock

Key lock



Stellar Business - electronic lock

Key lock



Primor 3000 level 5 or level 15 - electronic lock

Key lock




Anchor 7000 - electronic lock

Key lock




B 90 - electronic lock

Key lock




Mechanical combination lock

Mechanical combination lock



Stellar Basic - electronic lock

Stellar Basic - electronic lock



Stellar Business - electronic lock

Stellar Business - electronic lock




Primor 3000 level 5 or level 15 - electronic lock

Primor 3000 level 5 or level 15 - electronic lock



Anchor 7000 - electronic lock

Anchor 7000 - electronic lock



B 90 - electronic lock

B 90 - electronic lock



Choose
the handle and the fitting*

The locks and fittings below do not constitute a complete range, they are only our suggestion.
If none of the presented meets your expectations - please contact us and we will help you choose the right product.



ISS HANDLE THREE-ARMED,
STAINLESS STEEL



ISS HANDLE THREE-ARMED,
GOLD-PLATED



ESCUTCHEON
FOR KEYLOCK
HOLES



VESTA HANDLE
MATT



CAWI HANDLE
MATT







CAWI HANDLE
GLOSS



CAWI HANDLE
GOLD-PLATED



CAWI HANDLE
BLACK





INTER SICHERHEITS SERVICE Sp. z o.o.

T +48 95 723 97 77 - 80
F +48 95 723 97 82
E biuro@iss.net.pl

I 66-400 Gorzów Wlkp.
ul. Kobylgórska 2
www.iss.net.pl